

No.	Time	Source	Destination	Protocol Info
14821	34.214911	10.5.13.93	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 14821 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:01 (00:c0:02:40:a8:01), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.93 (10.5.13.93), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15254 (15254)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
14824	34.224905	10.5.13.93	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 14824 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:01 (00:c0:02:40:a8:01), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.93 (10.5.13.93), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15254 (15254)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
14829	34.234650	10.5.13.93	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 14829 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:01 (00:c0:02:40:a8:01), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.93 (10.5.13.93), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15254 (15254)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
14832	34.244894	10.5.13.93	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 14832 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:01 (00:c0:02:40:a8:01), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.93 (10.5.13.93), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15254 (15254)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
14833	34.244900	10.5.13.93	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 14833 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:01 (00:c0:02:40:a8:01), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.93 (10.5.13.93), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15254 (15254)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
14834	34.245144	10.5.13.93	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 14834 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a8:01 (00:c0:02:40:a8:01), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.93 (10.5.13.93), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15254 (15254)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
31790	60.462677	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31790 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)

User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF D (15)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
31791	60.462683	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31791 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)

User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF D (15)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 320

No.	Time	Source	Destination	Protocol Info
31800	60.474063	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31800 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)

User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF D (15)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
31817	60.494046	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31817 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
31831	60.514033	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31831 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
31845	60.534022	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31845 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
31859	60.554011	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31859 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
31873	60.574000	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31873 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
31879	60.582648	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31879 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
31880	60.582654	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31880 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
31881	60.582657	10.5.12.1	10.5.13.93	RTP EVENT Payload type=RTP Event, D

Frame 31881 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:01 (00:c0:02:40:a8:01)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.93 (10.5.13.93)  
User Datagram Protocol, Src Port: 15254 (15254), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
43107	77.380860	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43107 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
43108	77.380866	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43108 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
43112	77.384733	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43112 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
43122	77.404972	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43122 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
43135	77.424710	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43135 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
43145	77.444698	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43145 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
43155	77.464686	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43155 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
43165	77.484678	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43165 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
43174	77.500857	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43174 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)  
User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
43175	77.500863	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43175 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)

User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .. = End of Event: True

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
43176	77.500866	10.5.12.1	10.5.13.102	RTP EVENT Payload type=RTP Event, D

Frame 43176 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.102 (10.5.13.102)

User Datagram Protocol, Src Port: 10156 (10156), Dst Port: 10502 (10502)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .. = End of Event: True

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
74541	129.489711	10.5.13.48	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 74541 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:74 (00:c0:02:40:a7:74), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.48 (10.5.13.48), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13998 (13998)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF One 1 (1)

0... .. = End of Event: False

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 0

No.	Time	Source	Destination	Protocol Info
74548	129.499705	10.5.13.48	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 74548 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:74 (00:c0:02:40:a7:74), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.48 (10.5.13.48), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13998 (13998)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF One 1 (1)

0... .. = End of Event: False

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 80

No.	Time	Source	Destination	Protocol Info
74553	129.509699	10.5.13.48	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 74553 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:74 (00:c0:02:40:a7:74), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.48 (10.5.13.48), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13998 (13998)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF One 1 (1)

0... .. = End of Event: False

.0.. .. = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
74558	129.519693	10.5.13.48	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 74558 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:74 (00:c0:02:40:a7:74), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.48 (10.5.13.48), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13998 (13998)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
74559	129.519700	10.5.13.48	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 74559 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:74 (00:c0:02:40:a7:74), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.48 (10.5.13.48), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13998 (13998)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
74560	129.519702	10.5.13.48	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 74560 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:74 (00:c0:02:40:a7:74), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.48 (10.5.13.48), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13998 (13998)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
113642	205.355752	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113642 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
113646	205.365747	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D



Frame 113646 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
113654	205.375741	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113654 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
113658	205.385735	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113658 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
113667	205.395730	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113667 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
113671	205.405724	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113671 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
113679	205.415718	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113679 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
113683	205.425712	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113683 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 560

No.	Time	Source	Destination	Protocol Info
113691	205.435707	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113691 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
113695	205.445701	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113695 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 720

No.	Time	Source	Destination	Protocol Info
113703	205.455695	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113703 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
113707	205.465690	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113707 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 880

No.	Time	Source	Destination	Protocol Info
113716	205.475684	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113716 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
113722	205.485679	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113722 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1040

No.	Time	Source	Destination	Protocol Info
113732	205.495673	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113732 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
113736	205.505667	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113736 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1200

No.	Time	Source	Destination	Protocol Info
113746	205.515661	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113746 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
113750	205.525656	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113750 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1360

No.	Time	Source	Destination	Protocol Info
113759	205.535650	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113759 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
113763	205.545645	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113763 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1520

No.	Time	Source	Destination	Protocol Info
113772	205.555639	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113772 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1600

No.	Time	Source	Destination	Protocol Info
113773	205.555889	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113773 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1600

No.	Time	Source	Destination	Protocol Info
113774	205.555896	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 113774 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1600

No.	Time	Source	Destination	Protocol Info
118709	213.313496	10.5.13.91	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 118709 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:9f (00:c0:02:40:a7:9f), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.91 (10.5.13.91), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19426 (19426)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
118714	213.323490	10.5.13.91	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 118714 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:9f (00:c0:02:40:a7:9f), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.91 (10.5.13.91), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19426 (19426)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
118721	213.333485	10.5.13.91	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 118721 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:9f (00:c0:02:40:a7:9f), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.91 (10.5.13.91), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19426 (19426)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
118726	213.343229	10.5.13.91	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 118726 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:9f (00:c0:02:40:a7:9f), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.91 (10.5.13.91), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19426 (19426)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
118727	213.343479	10.5.13.91	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 118727 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:9f (00:c0:02:40:a7:9f), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.91 (10.5.13.91), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19426 (19426)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

```

Event ID: DTMF One 1 (1)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
118728  213.343486   10.5.13.91     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 118728 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:9f (00:c0:02:40:a7:9f), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.91 (10.5.13.91), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19426 (19426)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF One 1 (1)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
123072  220.104651   10.5.13.41     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 123072 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination     Protocol Info
123082  220.114645   10.5.13.41     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 123082 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

No.      Time          Source          Destination     Protocol Info
123086  220.124390   10.5.13.41     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 123086 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 160

```

No.	Time	Source	Destination	Protocol Info
123094	220.134634	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123094 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
123098	220.144628	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123098 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
123106	220.154623	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123106 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
123110	220.164617	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123110 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
123118	220.174611	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123118 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)



User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 560

No.	Time	Source	Destination	Protocol Info
123123	220.184606	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123123 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 640

No.	Time	Source	Destination	Protocol Info
123134	220.194600	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123134 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 720

No.	Time	Source	Destination	Protocol Info
123138	220.204595	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123138 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 800

No.	Time	Source	Destination	Protocol Info
123146	220.214589	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123146 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 880

No.	Time	Source	Destination	Protocol Info
123150	220.224583	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123150 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
123160	220.234580	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123160 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1040

No.	Time	Source	Destination	Protocol Info
123164	220.244572	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123164 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
123175	220.254569	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123175 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1200

No.	Time	Source	Destination	Protocol Info
123179	220.264561	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123179 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
123190	220.274558	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123190 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1360

No.	Time	Source	Destination	Protocol Info
123194	220.284550	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123194 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
123206	220.294553	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123206 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1520

No.	Time	Source	Destination	Protocol Info
123210	220.304538	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 123210 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

```

Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 1600

No.      Time      Source      Destination      Protocol Info
123211  220.304788  10.5.13.41  10.5.12.1        RTP EVENT Payload type=RTP Event, D

Frame 123211 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 1600

No.      Time      Source      Destination      Protocol Info
123212  220.304795  10.5.13.41  10.5.12.1        RTP EVENT Payload type=RTP Event, D

Frame 123212 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 1600

No.      Time      Source      Destination      Protocol Info
170728  281.939895  10.5.13.41  10.5.12.1        RTP EVENT Payload type=RTP Event, D

Frame 170728 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time      Source      Destination      Protocol Info
170739  281.949882  10.5.13.41  10.5.12.1        RTP EVENT Payload type=RTP Event, D

Frame 170739 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

```

No.	Time	Source	Destination	Protocol Info
170746	281.959877	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 170746 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
170757	281.970121	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 170757 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
170758	281.970127	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 170758 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
170759	281.970130	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 170759 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
178534	290.113010	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 178534 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Eight 8 (8)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
178542	290.123005	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 178542 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Eight 8 (8)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
178556	290.132999	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 178556 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Eight 8 (8)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
178566	290.142994	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 178566 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Eight 8 (8)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
178567	290.143002	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 178567 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Eight 8 (8)  
1... .... = End of Event: True  
.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
178569	290.143245	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 178569 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Eight 8 (8)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
199940	313.530751	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 199940 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Six 6 (6)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
199949	313.540496	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 199949 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Six 6 (6)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
199959	313.550739	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 199959 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Six 6 (6)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
199968	313.560734	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 199968 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Six 6 (6)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
199969	313.560739	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 199969 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Six 6 (6)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
199971	313.560991	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 199971 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Six 6 (6)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
224580	340.248373	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 224580 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
224596	340.258367	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 224596 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event



Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
224607	340.268112	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 224607 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
224620	340.278356	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 224620 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
224621	340.278363	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 224621 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
224622	340.278365	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 224622 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
230307	345.840207	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 230307 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
230315	345.850201	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 230315 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
230327	345.860202	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 230327 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
230334	345.870190	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 230334 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
230335	345.870440	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 230335 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
230336	345.870445	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 230336 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
233170	348.867493	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 233170 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF One 1 (1)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 0

No.	Time	Source	Destination	Protocol Info
233180	348.877487	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 233180 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF One 1 (1)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 80

No.	Time	Source	Destination	Protocol Info
233188	348.887481	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 233188 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF One 1 (1)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
233198	348.897476	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 233198 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
233199	348.897725	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 233199 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
233200	348.897730	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 233200 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
242941	358.966025	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 242941 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
242956	358.976026	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 242956 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
242963	358.986013	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 242963 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
242974	358.996012	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 242974 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
242975	358.996018	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 242975 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
242976	358.996021	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 242976 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

```

Event ID: DTMF Three 3 (3)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
248192  364.425684    10.5.13.102    10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 248192 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination     Protocol Info
248206  364.435678    10.5.13.102    10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 248206 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

No.      Time          Source          Destination     Protocol Info
248215  364.445672    10.5.13.102    10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 248215 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 160

No.      Time          Source          Destination     Protocol Info
248224  364.455666    10.5.13.102    10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 248224 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

```

No.	Time	Source	Destination	Protocol Info
248225	364.455673	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 248225 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
248226	364.455675	10.5.13.102	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 248226 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:0a (00:c0:02:40:a8:0a), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.102 (10.5.13.102), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10156 (10156)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
252692	369.198231	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 252692 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
252700	369.208225	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 252700 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
252710	369.218226	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 252710 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)

```
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 160

No.      Time          Source          Destination      Protocol Info
252717  369.228214   10.5.13.98     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 252717 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
252718  369.228464   10.5.13.98     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 252718 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
252719  369.228471   10.5.13.98     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 252719 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
261446  379.060068   10.5.12.1      10.5.13.76      RTP EVENT Payload type=RTP Event, D

Frame 261446 (58 bytes on wire, 58 bytes captured)
Ethernet II, Src: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm_40:a7:90 (00:c0:02:40:a7:90)
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF A (12)
0... .... = End of Event: False
.0.. .... = Reserved: False
```



..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
261447	379.060072	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261447 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
261465	379.077155	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261465 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
261486	379.097144	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261486 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
261504	379.117132	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261504 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
261523	379.137120	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261523 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
261541	379.157109	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261541 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
261559	379.177098	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261559 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
261561	379.180055	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261561 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
261562	379.180061	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 261562 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

```

Event ID: DTMF A (12)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 1440

No.      Time          Source          Destination     Protocol Info
261563  379.180065    10.5.12.1      10.5.13.76     RTP EVENT Payload type=RTP Event, D

Frame 261563 (58 bytes on wire, 58 bytes captured)
Ethernet II, Src: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm_40:a7:90 (00:c0:02:40:a7:90)
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF A (12)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 1440

No.      Time          Source          Destination     Protocol Info
290207  411.954522    10.5.13.98     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 290207 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination     Protocol Info
290221  411.964517    10.5.13.98     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 290221 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

No.      Time          Source          Destination     Protocol Info
290231  411.974517    10.5.13.98     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 290231 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 160

```

No.	Time	Source	Destination	Protocol Info
290242	411.984506	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 290242 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
290243	411.984513	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 290243 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
290244	411.984755	10.5.13.98	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 290244 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:06 (00:c0:02:40:a8:06), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.98 (10.5.13.98), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13718 (13718)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
293122	414.669984	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 293122 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
293134	414.679979	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 293134 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Star \* (10)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
293142	414.689973	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 293142 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Star \* (10)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
293154	414.699967	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 293154 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
293155	414.699974	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 293155 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
293156	414.700218	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 293156 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
296068	417.461154	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 296068 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
296077	417.471149	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 296077 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
296088	417.481143	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 296088 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
296097	417.491137	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 296097 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
296098	417.491143	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 296098 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
296099	417.491387	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 296099 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
306405	426.778379	10.5.13.10	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 306405 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:4e (00:c0:02:40:a7:4e), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.10 (10.5.13.10), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15500 (15500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
306417	426.788373	10.5.13.10	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 306417 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:4e (00:c0:02:40:a7:4e), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.10 (10.5.13.10), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15500 (15500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
306432	426.798368	10.5.13.10	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 306432 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:4e (00:c0:02:40:a7:4e), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.10 (10.5.13.10), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15500 (15500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

```

Event ID: DTMF One 1 (1)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 160

No.      Time          Source          Destination     Protocol Info
306445  426.808362    10.5.13.10     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 306445 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:4e (00:c0:02:40:a7:4e), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.10 (10.5.13.10), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15500 (15500)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF One 1 (1)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
306446  426.808369    10.5.13.10     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 306446 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:4e (00:c0:02:40:a7:4e), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.10 (10.5.13.10), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15500 (15500)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF One 1 (1)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
306447  426.808612    10.5.13.10     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 306447 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:4e (00:c0:02:40:a7:4e), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.10 (10.5.13.10), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 15500 (15500)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF One 1 (1)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
307874  428.010181    10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 307874 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

```



No.	Time	Source	Destination	Protocol Info
307883	428.020175	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 307883 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
307899	428.030178	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 307899 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
307912	428.040164	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 307912 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
307913	428.040414	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 307913 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
307914	428.040421	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 307914 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
309830	429.670241	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 309830 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 0

No.	Time	Source	Destination	Protocol Info
309839	429.679987	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 309839 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 80

No.	Time	Source	Destination	Protocol Info
309854	429.690230	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 309854 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
309864	429.700224	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 309864 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
309865	429.700232	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 309865 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
309866	429.700235	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 309866 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
315732	434.358587	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 315732 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
315744	434.368581	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 315744 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
315756	434.378575	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 315756 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
315768	434.388570	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 315768 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
315769	434.388576	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 315769 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
315770	434.388578	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 315770 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
321791	439.418222	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 321791 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
321802	439.428216	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 321802 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
321811	439.438211	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 321811 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
321822	439.448205	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 321822 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
321823	439.448211	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 321823 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
321824	439.448213	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 321824 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
333639	451.050888	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 333639 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
333648	451.060884	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 333648 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
333659	451.070877	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 333659 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
333668	451.080872	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 333668 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)

```
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
333669  451.081118   10.5.13.76     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 333669 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
333672  451.081131   10.5.13.76     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 333672 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
368103  482.674979   10.5.13.41     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 368103 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Two 2 (2)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination      Protocol Info
368117  482.684724   10.5.13.41     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 368117 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Two 2 (2)
0... .... = End of Event: False
.0.. .... = Reserved: False
```

..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
368121	482.688222	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368121 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
368131	482.694968	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368131 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Two 2 (2)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
368137	482.698216	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368137 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
368146	482.704963	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368146 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Two 2 (2)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
368147	482.704969	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D



Frame 368147 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Two 2 (2)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
368148	482.705212	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368148 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Two 2 (2)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
368153	482.707960	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368153 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
368165	482.718205	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368165 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
368166	482.718455	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368166 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
368167	482.718462	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 368167 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .. = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
372812	486.274691	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 372812 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
0... .. = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
372828	486.284436	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 372828 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
0... .. = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
372839	486.294681	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 372839 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
0... .. = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
372855	486.304676	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 372855 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
372856	486.304683	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 372856 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
372857	486.304685	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 372857 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
378808	490.704433	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 378808 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF B (13)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
378819	490.714427	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 378819 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF B (13)

0... .. = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 80

No.	Time	Source	Destination	Protocol Info
378834	490.724422	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 378834 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF B (13)

0... .. = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
378845	490.734666	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 378845 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF B (13)

1... .. = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
378846	490.734673	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 378846 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF B (13)

1... .. = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
378847	490.734916	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 378847 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF B (13)

1... .. = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
386415	496.754008	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386415 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
386427	496.764002	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386427 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
386437	496.773747	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386437 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
386450	496.783991	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386450 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
386461	496.793987	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386461 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
386473	496.803980	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386473 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
386474	496.803986	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386474 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
386475	496.804229	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 386475 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
395047	504.293246	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395047 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
395058	504.303233	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395058 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
395069	504.313234	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395069 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
395081	504.323228	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395081 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
395091	504.333223	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395091 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
395093	504.333469	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395093 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
395094	504.333474	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395094 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
395204	504.433410	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395204 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
395217	504.443160	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395217 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
395226	504.453397	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395226 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)



User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

0... .. = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
395241	504.463149	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395241 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .. = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
395243	504.463392	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395243 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .. = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
395244	504.463396	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 395244 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .. = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
398832	507.462953	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398832 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF C (14)

0... .. = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
398843	507.472938	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398843 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
398854	507.482938	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398854 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
398866	507.493177	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398866 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
398867	507.493183	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398867 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
398868	507.493185	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398868 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
398968	507.582885	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398968 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
398979	507.593121	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398979 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
398990	507.602872	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 398990 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
399002	507.613109	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 399002 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

```

Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
399003  507.613115    10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 399003 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
399004  507.613359    10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 399004 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Seven 7 (7)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
403493  511.568376    10.5.13.24     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 403493 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:5c (00:c0:02:40:a7:5c), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.24 (10.5.13.24), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 12548 (12548)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF A (12)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination     Protocol Info
403501  511.578364    10.5.13.24     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 403501 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:5c (00:c0:02:40:a7:5c), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.24 (10.5.13.24), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 12548 (12548)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF A (12)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

```

No.	Time	Source	Destination	Protocol Info
403515	511.588364	10.5.13.24	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 403515 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:5c (00:c0:02:40:a7:5c), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.24 (10.5.13.24), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 12548 (12548)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
403524	511.598359	10.5.13.24	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 403524 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:5c (00:c0:02:40:a7:5c), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.24 (10.5.13.24), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 12548 (12548)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
403525	511.598603	10.5.13.24	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 403525 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:5c (00:c0:02:40:a7:5c), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.24 (10.5.13.24), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 12548 (12548)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
403526	511.598608	10.5.13.24	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 403526 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:5c (00:c0:02:40:a7:5c), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.24 (10.5.13.24), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 12548 (12548)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
416467	524.381367	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 416467 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
416477	524.391376	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 416477 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
416483	524.401354	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 416483 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
416493	524.411597	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 416493 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
416494	524.411603	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 416494 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
416495	524.411606	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 416495 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF C (14)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418248	526.271304	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418248 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
418255	526.281290	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418255 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
418266	526.291283	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418266 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
418273	526.301278	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418273 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418274	526.301284	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418274 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418275	526.301528	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418275 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418376	526.401471	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418376 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
418387	526.411222	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418387 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event



Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
418398	526.421460	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418398 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
418408	526.431210	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418408 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418409	526.431454	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418409 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418410	526.431459	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418410 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418932	526.934170	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418932 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
418946	526.944164	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418946 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
418955	526.954158	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418955 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
418966	526.964152	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418966 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
418967	526.964402	10.5.13.76	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 418967 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)

```
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
418968  526.964409   10.5.13.76     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 418968 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:90 (00:c0:02:40:a7:90), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.76 (10.5.13.76), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 14448 (14448)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Four 4 (4)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination      Protocol Info
426845  534.340726   10.5.13.39     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 426845 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Nine 9 (9)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination      Protocol Info
426857  534.350720   10.5.13.39     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 426857 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Nine 9 (9)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

No.      Time          Source          Destination      Protocol Info
426868  534.360465   10.5.13.39     10.5.12.1       RTP EVENT Payload type=RTP Event, D

Frame 426868 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Nine 9 (9)
0... .... = End of Event: False
.0.. .... = Reserved: False
```

..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
426877	534.370459	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426877 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
426888	534.380453	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426888 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
426898	534.390448	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426898 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
426910	534.400442	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426910 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
426919	534.410436	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426919 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 560

No.	Time	Source	Destination	Protocol Info
426920	534.410686	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426920 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 560

No.	Time	Source	Destination	Protocol Info
426922	534.410695	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 426922 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 18312 (18312)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 560

No.	Time	Source	Destination	Protocol Info
427279	534.753757	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427279 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
427280	534.753764	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427280 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
427287	534.757788	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427287 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
427307	534.777756	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427307 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
427328	534.797750	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427328 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
427346	534.817474	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427346 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
427366	534.837463	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427366 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
427389	534.857720	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427389 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
427409	534.873748	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427409 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
427410	534.873754	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427410 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)  
User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
427411	534.873758	10.5.12.1	10.5.13.5	RTP EVENT Payload type=RTP Event, D

Frame 427411 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:3f (00:c0:02:40:a8:3f)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.5 (10.5.13.5)

User Datagram Protocol, Src Port: 16828 (16828), Dst Port: 10504 (10504)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
466706	576.842290	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466706 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)

User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Nine 9 (9)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
466707	576.842296	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466707 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)

User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Nine 9 (9)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 320

No.	Time	Source	Destination	Protocol Info
466731	576.860184	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466731 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)

User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Nine 9 (9)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 480

No.	Time	Source	Destination	Protocol Info
466760	576.879914	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466760 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)

User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Nine 9 (9)

0... .... = End of Event: False

.0.. .... = Reserved: False



..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
466786	576.899901	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466786 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
466813	576.919890	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466813 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
466839	576.939878	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466839 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
466843	576.942383	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466843 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
466844	576.942390	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466844 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
466845	576.942393	10.5.12.1	10.5.13.76	RTP EVENT Payload type=RTP Event, D

Frame 466845 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a7:90 (00:c0:02:40:a7:90)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.76 (10.5.13.76)  
User Datagram Protocol, Src Port: 14448 (14448), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Nine 9 (9)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
497292	601.154398	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 497292 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
497303	601.164390	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 497303 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
497317	601.174637	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 497317 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF One 1 (1)  
0... .. = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
497327	601.184379	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 497327 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .. = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
497328	601.184629	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 497328 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .. = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
497330	601.184639	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 497330 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .. = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
542107	644.430393	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 542107 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .. = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
542119	644.440388	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 542119 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
542126	644.450382	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 542126 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
542137	644.460626	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 542137 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
542138	644.460632	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 542138 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF One 1 (1)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
542139	644.460878	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 542139 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)

```
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF One 1 (1)
1... .... = End of Event: True
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 240

No.      Time          Source          Destination     Protocol Info
569745  669.548172   10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 569745 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 0

No.      Time          Source          Destination     Protocol Info
569755  669.558166   10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 569755 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 80

No.      Time          Source          Destination     Protocol Info
569765  669.568161   10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 569765 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
0... .... = End of Event: False
.0.. .... = Reserved: False
..00 1010 = Volume: 10
Event Duration: 160

No.      Time          Source          Destination     Protocol Info
569775  669.578155   10.5.13.39     10.5.12.1      RTP EVENT Payload type=RTP Event, D

Frame 569775 (60 bytes on wire, 60 bytes captured)
Ethernet II, Src: Sercomm_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP_eb:a2:d3 (00:18:71:eb:a2:d3)
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)
Real-Time Transport Protocol
RFC 2833 RTP Event
Event ID: DTMF Star * (10)
1... .... = End of Event: True
.0.. .... = Reserved: False
```

..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
569776	669.578405	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 569776 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
569777	669.578412	10.5.13.39	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 569777 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6b (00:c0:02:40:a7:6b), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.39 (10.5.13.39), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 10810 (10810)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Star \* (10)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
573616	673.202278	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573616 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
573617	673.202285	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573617 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
573620	673.204368	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573620 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
573640	673.224608	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573640 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
573660	673.244346	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573660 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
573683	673.264334	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573683 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
573704	673.284322	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573704 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
573724	673.304311	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573724 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
573743	673.322220	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573743 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
573744	673.322227	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573744 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
573745	673.322231	10.5.12.1	10.5.13.122	RTP EVENT Payload type=RTP Event, D

Frame 573745 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Sercomm\_40:a8:22 (00:c0:02:40:a8:22)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.13.122 (10.5.13.122)  
User Datagram Protocol, Src Port: 13958 (13958), Dst Port: 10500 (10500)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF D (15)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440



No.	Time	Source	Destination	Protocol Info
584748	683.709904	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 584748 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
584760	683.719898	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 584760 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
584770	683.729642	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 584770 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
584783	683.739887	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 584783 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
584784	683.739893	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 584784 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
584785	683.740136	10.5.13.41	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 584785 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:6d (00:c0:02:40:a7:6d), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.41 (10.5.13.41), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14634 (14634)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

1... .... = End of Event: True

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
621579	720.836653	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621579 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)

User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
621580	720.836657	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621580 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)

User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 320

No.	Time	Source	Destination	Protocol Info
621581	720.836664	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621581 (58 bytes on wire, 58 bytes captured)

Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)

Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)

User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
621601	720.856639	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621601 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
621621	720.876626	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621621 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 800

No.	Time	Source	Destination	Protocol Info
621641	720.896616	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621641 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 960

No.	Time	Source	Destination	Protocol Info
621662	720.916606	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621662 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1120

No.	Time	Source	Destination	Protocol Info
621683	720.936595	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621683 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1280

No.	Time	Source	Destination	Protocol Info
621705	720.953785	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621705 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
621706	720.953791	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621706 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
621707	720.953794	10.5.12.1	10.5.15.239	RTP EVENT Payload type=RTP Event, D

Frame 621707 (58 bytes on wire, 58 bytes captured)  
Ethernet II, Src: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3), Dst: Grandstr\_14:9f:ee (00:0b:82:14:9f:ee)  
Internet Protocol, Src: 10.5.12.1 (10.5.12.1), Dst: 10.5.15.239 (10.5.15.239)  
User Datagram Protocol, Src Port: 15076 (15076), Dst Port: avt-profile-1 (5004)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 1440

No.	Time	Source	Destination	Protocol Info
631196	730.427452	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 631196 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 12690 (12690)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF Eight 8 (8)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
631209	730.437197	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 631209 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 12690 (12690)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Eight 8 (8)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
631218	730.447441	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 631218 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 12690 (12690)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Eight 8 (8)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
631231	730.457435	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 631231 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 12690 (12690)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Eight 8 (8)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
631232	730.457442	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 631232 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 12690 (12690)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Eight 8 (8)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
631233	730.457446	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 631233 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 12690 (12690)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Eight 8 (8)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
644177	742.049622	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 644177 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
644186	742.059616	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 644186 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
644200	742.069610	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 644200 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Pound # (11)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
644210	742.079605	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 644210 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Pound # (11)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
644211	742.079611	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 644211 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Pound # (11)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
644212	742.079854	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 644212 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Pound # (11)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
648042	745.619350	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 648042 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
648056	745.629345	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 648056 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF A (12)  
0... .... = End of Event: False  
.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
648065	745.639339	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 648065 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
648078	745.649333	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 648078 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
648079	745.649340	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 648079 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
648080	745.649583	10.5.13.114	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 648080 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a8:16 (00:c0:02:40:a8:16), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.114 (10.5.13.114), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10500 (10500), Dst Port: 19478 (19478)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF A (12)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677716	774.494251	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D



Frame 677716 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
677726	774.504245	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677726 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
677734	774.514239	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677734 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
677744	774.524234	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677744 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677746	774.524490	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677746 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677747	774.524493	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677747 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677818	774.604188	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677818 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
677825	774.614183	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677825 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
677836	774.624176	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677836 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
677845	774.634423	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677845 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677846	774.634427	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677846 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677847	774.634429	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677847 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677875	774.664155	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677875 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
677882	774.674149	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677882 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 80

No.	Time	Source	Destination	Protocol Info
677892	774.684392	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677892 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 160

No.	Time	Source	Destination	Protocol Info
677900	774.694390	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677900 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 240

No.	Time	Source	Destination	Protocol Info
677911	774.704382	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677911 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10

Event Duration: 320

No.	Time	Source	Destination	Protocol Info
677919	774.714415	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677919 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)

0... .... = End of Event: False

.0.. .... = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
677928	774.724370	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677928 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 480

No.	Time	Source	Destination	Protocol Info
677938	774.734369	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677938 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 560

No.	Time	Source	Destination	Protocol Info
677947	774.744359	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677947 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
677949	774.744369	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677949 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
677950	774.744371	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 677950 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 640

No.	Time	Source	Destination	Protocol Info
679253	776.214027	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679253 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
679267	776.224023	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679267 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
679276	776.234268	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679276 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
679287	776.244261	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679287 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
679289	776.244271	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679289 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
679290	776.244275	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679290 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Four 4 (4)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
679699	776.684011	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679699 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
679707	776.694255	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679707 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol

RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
679720	776.704249	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679720 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
679728	776.714244	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679728 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
679739	776.724238	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679739 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
0... .. = End of Event: False  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 320

No.	Time	Source	Destination	Protocol Info
679747	776.734232	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679747 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Three 3 (3)  
1... .. = End of Event: True  
.0.. .. = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 400

No.	Time	Source	Destination	Protocol Info
679748	776.734238	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679748 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)



User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Three 3 (3)

1... .. = End of Event: True

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 400

No.	Time	Source	Destination	Protocol Info
679750	776.734485	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 679750 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 14052 (14052)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Three 3 (3)

1... .. = End of Event: True

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 400

No.	Time	Source	Destination	Protocol Info
705186	807.122025	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705186 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

0... .. = End of Event: False

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 0

No.	Time	Source	Destination	Protocol Info
705192	807.132020	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705192 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

0... .. = End of Event: False

.0.. .. = Reserved: False

..00 1010 = Volume: 10

Event Duration: 80

No.	Time	Source	Destination	Protocol Info
705201	807.142019	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705201 (60 bytes on wire, 60 bytes captured)

Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)

Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)

User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)

Real-Time Transport Protocol

RFC 2833 RTP Event

Event ID: DTMF Five 5 (5)

0... .. = End of Event: False

.0.. .. = Reserved: False

..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
705207	807.152008	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705207 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
705208	807.152014	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705208 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
705209	807.152016	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705209 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Five 5 (5)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
705502	807.561776	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705502 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 0

No.	Time	Source	Destination	Protocol Info
705508	807.571770	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705508 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 80

No.	Time	Source	Destination	Protocol Info
705517	807.582015	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705517 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
0... .... = End of Event: False  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 160

No.	Time	Source	Destination	Protocol Info
705523	807.592009	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705523 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
705524	807.592015	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705524 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event  
Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240

No.	Time	Source	Destination	Protocol Info
705525	807.592017	10.5.13.21	10.5.12.1	RTP EVENT Payload type=RTP Event, D

Frame 705525 (60 bytes on wire, 60 bytes captured)  
Ethernet II, Src: Sercomm\_40:a7:59 (00:c0:02:40:a7:59), Dst: HewlettP\_eb:a2:d3 (00:18:71:eb:a2:d3)  
Internet Protocol, Src: 10.5.13.21 (10.5.13.21), Dst: 10.5.12.1 (10.5.12.1)  
User Datagram Protocol, Src Port: 10502 (10502), Dst Port: 13414 (13414)  
Real-Time Transport Protocol  
RFC 2833 RTP Event

Event ID: DTMF Seven 7 (7)  
1... .... = End of Event: True  
.0.. .... = Reserved: False  
..00 1010 = Volume: 10  
Event Duration: 240