

[Nov 24 16:23:04]

INVITE sip:destnum@serverip SIP/2.0
Via: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00006bf6;rport
Max-Forwards: 70
To: sip:destnum@serverip
From: "srcallname" <sip:srcnum@serverip>;tag=14410
Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 1 INVITE
Contact: sip:trunkname@panasonicip:35060
Supported: timer,100rel
Session-Expires: 180
Allow: INVITE,ACK,CANCEL,BYE,PRACK,OPTIONS,REGISTER,INFO,UPDATE
Content-Type: application/sdp
User-Agent: Panasonic-MPR08-VSIPGW/V3.0007
Content-Length: 264

v=0
o=- 1 1 IN IP4 panasonicrtpip
s=-
c=IN IP4 panasonicrtpip
t=0 0
m=audio 12182 RTP/AVP 8 0 18 101
a=rtpmap:8 PCMA/8000/1
a=rtpmap:0 PCMU/8000/1
a=rtpmap:18 G729/8000/1
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=sendrecv
a=ptime:20
a=rtcp:12183

SIP/2.0 401 Unauthorized
v: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00006bf6;received=extpanip;rport=60951
f: "srcallname" <sip:srcnum@serverip>;tag=14410
t: sip:destnum@serverip;tag=as6424ba41
i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 1 INVITE
Server: sip.kubtel.ru
Allow: INVITE,ACK,CANCEL,OPTIONS,BYE,REFER,SUBSCRIBE,NOTIFY,INFO,PUBLISH
k: replaces, timer
WWW-Authenticate: Digest algorithm=MD5, realm="sip.kubtel.ru", nonce="58f4db1e"
l: 0

ACK sip:destnum@serverip SIP/2.0
Via: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00006bf6;rport
Max-Forwards: 70
To: sip:destnum@serverip;tag=as6424ba41
From: "srcallname" <sip:srcnum@serverip>;tag=14410
Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 1 ACK
Content-Length: 0

INVITE sip:destnum@serverip SIP/2.0
Via: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK000050d;rport
Max-Forwards: 70
To: sip:destnum@serverip
From: "srcallname" <sip:srcnum@serverip>;tag=14410
Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 2 INVITE
Contact: sip:trunkname@panasonicip:35060
Supported: timer,100rel
Authorization: Digest realm="sip.kubtel.ru", nonce="58f4db1e", algorithm=MD5,
uri="sip:destnum@serverip", username="trunkname", response="xxx"
Session-Expires: 180
Allow: INVITE,ACK,CANCEL,BYE,PRACK,OPTIONS,REGISTER,INFO,UPDATE
Content-Type: application/sdp
User-Agent: Panasonic-MPR08-VSIPGW/V3.0007
Content-Length: 264

v=0
o=- 1 1 IN IP4 panasonicrtpip
s=-
c=IN IP4 panasonicrtpip
t=0 0
m=audio 12182 RTP/AVP 8 0 18 101
a=rtpmap:8 PCMA/8000/1
a=rtpmap:0 PCMU/8000/1
a=rtpmap:18 G729/8000/1
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=sendrecv
a=ptime:20
a=rtcp:12183

SIP/2.0 100 Trying
v: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK000050d;received=extpanip;rport=60951
f: "srcallname" <sip:srcnum@serverip>;tag=14410
t: sip:destnum@serverip
i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 2 INVITE
Server: sip.kubtel.ru
Allow: INVITE,ACK,CANCEL,OPTIONS,BYE,REFER,SUBSCRIBE,NOTIFY,INFO,PUBLISH
k: replaces, timer
x: 180;refresher=uas
m: <sip:destnum@serverip:5060>
l: 0

[Nov 24 16:23:05]

SIP/2.0 180 Ringing
v: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK000050d;received=extpanip;rport=60951
f: "srcallname" <sip:srcnum@serverip>;tag=14410
t: sip:destnum@serverip;tag=as7dcaf78a
i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 2 INVITE
Server: sip.kubtel.ru
Allow: INVITE,ACK,CANCEL,OPTIONS,BYE,REFER,SUBSCRIBE,NOTIFY,INFO,PUBLISH
k: replaces, timer
x: 180;refresher=uas
m: <sip:destnum@serverip:5060>
l: 0

[Nov 24 16:23:20]

SIP/2.0 200 OK
v: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK000050d;received=extpanip;rport=60951
f: "srcallname" <sip:srcnum@serverip>;tag=14410
t: sip:destnum@serverip;tag=as7dcaf78a
i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip
CSeq: 2 INVITE
Server: sip.kubtel.ru
Allow: INVITE,ACK,CANCEL,OPTIONS,BYE,REFER,SUBSCRIBE,NOTIFY,INFO,PUBLISH
k: replaces, timer
x: 180;refresher=uas
m: <sip:destnum@serverip:5060>
c: application/sdp
l: 258

	v=0 o=kubtel 906174992 906174992 IN IP4 serverip s=sip.kubtel.ru c=IN IP4 serverip t=0 0 m=audio 34112 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-16 a=silenceSupp:off - - - a=ptime:20 a=sendrecv
ACK sip:destnum@serverip:5060 SIP/2.0 Via: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00001809;rport Max-Forwards: 70 To: sip:destnum@serverip;tag=as7dcf78a From: "srcallname" <sip:srcnum@serverip>;tag=14410 Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 2 ACK Authorization: Digest realm="sip.kubtel.ru", nonce="58f4db1e", algorithm=MD5, uri="sip:destnum@serverip:5060", username="trunkname", response="xxx" Content-Length: 0	
[Nov 24 16:24:34]	
	INVITE sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK32bd21b9;rport Max-Forwards: 70 f: sip:destnum@serverip;tag=as7dcf78a t: "srcallname" <sip:srcnum@serverip>;tag=14410 m: <sip:destnum@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 102 INVITE User-Agent: sip.kubtel.ru Require: timer x: 180;refresher=uas Min-SE: 90 Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH k: replaces, timer X-asterisk-Info: SIP re-invite (Session-Timers) c: application/sdp l: 258 v=0 o=kubtel 906174992 906174992 IN IP4 serverip s=sip.kubtel.ru c=IN IP4 serverip t=0 0 m=audio 34112 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-16 a=silenceSupp:off - - - a=ptime:20 a=sendrecv
SIP/2.0 100 Trying Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK32bd21b9;rport=5060 To: "srcallname" <sip:srcnum@serverip>;tag=14410 From: sip:destnum@serverip;tag=as7dcf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 102 INVITE Content-Length: 0	
SIP/2.0 200 OK Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK32bd21b9;rport=5060 To: "srcallname" <sip:srcnum@serverip>;tag=14410 From: sip:destnum@serverip;tag=as7dcf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 102 INVITE Contact: sip:trunkname@panasonicip:35060 Require: timer Supported: timer,100rel Session-Expires: 180;refresher=uas Allow: INVITE, ACK, CANCEL, BYE, PRACK, OPTIONS, REGISTER, INFO, UPDATE Content-Type: application/sdp User-Agent: Panasonic-MPR08-VSIPGW/V3.0007 Server: Panasonic-MPR08-VSIPGW/V3.0007 Content-Length: 210 v=0 o=- 1 1 IN IP4 panasonicrtpp s=- c=IN IP4 panasonicrtpp t=0 0 m=audio 12182 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000/1 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=sendrecv a=ptime:20 a=rtcp:12183	
	ACK sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK6559bd2b;rport Max-Forwards: 70 f: sip:destnum@serverip;tag=as7dcf78a t: "srcallname" <sip:srcnum@serverip>;tag=14410 m: <sip:destnum@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 102 ACK User-Agent: sip.kubtel.ru l: 0
[Nov 24 16:26:04]	
INVITE sip:destnum@serverip:5060 SIP/2.0 Via: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00003685;rport Max-Forwards: 70 To: sip:destnum@serverip;tag=as7dcf78a From: "srcallname" <sip:srcnum@serverip>;tag=14410 Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 3 INVITE Contact: sip:trunkname@panasonicip:35060 Supported: timer,100rel Authorization: Digest realm="sip.kubtel.ru", nonce="58f4db1e", algorithm=MD5, uri="sip:destnum@serverip:5060", username="trunkname", response="xxx" Session-Expires: 90 Min-SE: 90 Allow: INVITE, ACK, CANCEL, BYE, PRACK, OPTIONS, REGISTER, INFO, UPDATE User-Agent: Panasonic-MPR08-VSIPGW/V3.0007 Content-Type: application/sdp Content-Length: 210 v=0 o=- 1 1 IN IP4 panasonicrtpp	

<pre> s=- c=IN IP4 panasonicrtip t=0 0 m=audio 12182 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000/1 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=sendrecv a=ptime:20 a=rtcp:12183 </pre>	
	<pre> SIP/2.0 100 Trying v: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00003685;received=extpanip;rport=60951 f: "srccallname" <sip:srcnum@serverip>;tag=14410 t: sip:destnum@serverip;tag=as7dcaf78a i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 3 INVITE Server: sip.kubtel.ru Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH k: replaces, timer x: 90;refresher=uas m: <sip:destnum@serverip:5060> l: 0 </pre>
	<pre> SIP/2.0 200 OK v: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00003685;received=extpanip;rport=60951 f: "srccallname" <sip:srcnum@serverip>;tag=14410 t: sip:destnum@serverip;tag=as7dcaf78a i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 3 INVITE Server: sip.kubtel.ru Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH k: replaces, timer x: 90;refresher=uas m: <sip:destnum@serverip:5060> c: application/sdp l: 258 v=0 o=kubtel 906174992 906174992 IN IP4 serverip s=sip.kubtel.ru c=IN IP4 serverip t=0 0 m=audio 34112 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-16 a=silenceSupp:off - - - a=ptime:20 a=sendrecv </pre>
<pre> ACK sip:destnum@serverip:5060 SIP/2.0 Via: SIP/2.0/UDP panasonicip:35060;branch=z9hG4bK00003d09;rport Max-Forwards: 70 To: sip:destnum@serverip;tag=as7dcaf78a From: "srccallname" <sip:srcnum@serverip>;tag=14410 Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 3 ACK Authorization: Digest realm="sip.kubtel.ru", nonce="58f4db1e", algorithm=MD5, uri="sip:destnum@serverip:5060", username="trunkname", response="xxx" Content-Length: 0 </pre>	
[Nov 24 16:26:49]	
	<pre> INVITE sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK60c78a30;rport Max-Forwards: 70 f: sip:destnum@serverip;tag=as7dcaf78a t: "srccallname" <sip:srcnum@serverip>;tag=14410 m: <sip:destnum@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 103 INVITE User-Agent: sip.kubtel.ru Require: timer x: 90;refresher=uas Min-SE: 90 Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH k: replaces, timer X-asterisk-Info: SIP re-invite (Session-Timers) c: application/sdp l: 258 v=0 o=kubtel 906174992 906174992 IN IP4 serverip s=sip.kubtel.ru c=IN IP4 serverip t=0 0 m=audio 34112 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-16 a=silenceSupp:off - - - a=ptime:20 a=sendrecv </pre>
<pre> SIP/2.0 100 Trying Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK60c78a30;rport=5060 To: "srccallname" <sip:srcnum@serverip>;tag=14410 From: sip:destnum@serverip;tag=as7dcaf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 103 INVITE Content-Length: 0 </pre>	
<pre> SIP/2.0 422 Session Timer Too Small Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK60c78a30;rport=5060 To: "srccallname" <sip:srcnum@serverip>;tag=14410 From: sip:destnum@serverip;tag=as7dcaf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 103 INVITE Min-SE: 180 Allow: INVITE, ACK, CANCEL, BYE, PRACK, OPTIONS, REGISTER, INFO, UPDATE Server: Panasonic-MPR08-VSIPGW/V3.0007 Content-Length: 0 </pre>	
	<pre> ACK sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK60c78a30;rport Max-Forwards: 70 f: sip:destnum@serverip;tag=as7dcaf78a t: "srccallname" <sip:srcnum@serverip>;tag=14410 m: <sip:destnum@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 103 ACK User-Agent: sip.kubtel.ru l: 0 </pre>
	<pre> INVITE sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK3c3704f7;rport Max-Forwards: 70 </pre>

	Route: < sip:trunkname@panasonicip:35060> f: "asterisk" < sip:asterisk@serverip>;tag=as7dcaf78a t: < sip:trunkname@panasonicip:35060> m: < sip:asterisk@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 INVITE User-Agent: sip.kubtel.ru Date: Wed, 24 Nov 2010 13:26:49 GMT x: 180 Min-SE: 90 Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY, INFO, PUBLISH k: replaces, timer c: application/sdp l: 258 v=0 o=kubtel 906174992 906174993 IN IP4 serverip s=sip.kubtel.ru c=IN IP4 serverip t=0 0 m=audio 34112 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-16 a=silenceSupp:off - - - a=ptime:20 a=sendrecv
SIP/2.0 100 Trying Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK3c3704f7;rport=5060 To: sip:trunkname@panasonicip From: "asterisk" < sip:asterisk@serverip>;tag=as7dcaf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 INVITE Content-Length: 0	
SIP/2.0 180 Ringing Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK3c3704f7;rport=5060 To: sip:trunkname@panasonicip;tag=18365 From: "asterisk" < sip:asterisk@serverip>;tag=as7dcaf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 INVITE Contact: sip:trunkname@panasonicip:35060 Allow: INVITE,ACK,CANCEL,BYE,PRACK,OPTIONS,REGISTER,INFO,UPDATE User-Agent: Panasonic-MPR08-VSIPGW/V3.0007 Server: Panasonic-MPR08-VSIPGW/V3.0007 Content-Length: 0	
[Nov 24 16:26:55]	
SIP/2.0 200 OK Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK3c3704f7;rport=5060 To: sip:trunkname@panasonicip;tag=18365 From: "asterisk" < sip:asterisk@serverip>;tag=as7dcaf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 INVITE Contact: sip:trunkname@panasonicip:35060 Supported: timer,100rel Allow: INVITE,ACK,CANCEL,BYE,PRACK,OPTIONS,REGISTER,INFO,UPDATE Content-Type: application/sdp User-Agent: Panasonic-MPR08-VSIPGW/V3.0007 Server: Panasonic-MPR08-VSIPGW/V3.0007 Content-Length: 210 v=0 o= 0 0 IN IP4 panasonicrtpip s= c=IN IP4 panasonicrtpip t=0 0 m=audio 12184 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000/1 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=sendrecv a=ptime:20 a=rtcp:12185	
	ACK sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK1cb5f175;rport Max-Forwards: 70 f: sip:destnum@serverip;tag=as7dcaf78a t: "srcallname" < sip:srcnum@serverip>;tag=14410 m: < sip:asterisk@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 ACK User-Agent: sip.kubtel.ru l: 0
[Nov 24 16:26:56]	
SIP/2.0 200 OK Via: SIP/2.0/UDP serverip:5060;branch=z9hG4bK3c3704f7;rport=5060 To: sip:trunkname@panasonicip;tag=18365 From: "asterisk" < sip:asterisk@serverip>;tag=as7dcaf78a Call-ID: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 INVITE Contact: sip:trunkname@panasonicip:35060 Supported: timer,100rel Allow: INVITE,ACK,CANCEL,BYE,PRACK,OPTIONS,REGISTER,INFO,UPDATE Content-Type: application/sdp User-Agent: Panasonic-MPR08-VSIPGW/V3.0007 Server: Panasonic-MPR08-VSIPGW/V3.0007 Content-Length: 210 v=0 o= 0 0 IN IP4 panasonicrtpip s= c=IN IP4 panasonicrtpip t=0 0 m=audio 12184 RTP/AVP 8 101 a=rtpmap:8 PCMA/8000/1 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=sendrecv a=ptime:20 a=rtcp:12185	
	ACK sip:trunkname@panasonicip:35060 SIP/2.0 v: SIP/2.0/UDP serverip:5060;branch=z9hG4bK56929490;rport Max-Forwards: 70 f: sip:destnum@serverip;tag=as7dcaf78a t: "srcallname" < sip:srcnum@serverip>;tag=14410 m: < sip:asterisk@serverip:5060> i: 0000430e-1f2a63de31bc10008fd80080f0a4b698@panasonicip CSeq: 104 ACK User-Agent: sip.kubtel.ru l: 0

